

EAST Search History

10/625,565

S9	8	S8 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 19:00
S10	333621	processor same (control\$4 or monitor\$4 or supervis\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 19:02
S11	1644	S10 same (selector\$4 with (rout\$4 or switch\$4 or chang\$4 or alternat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 19:02
S12	2	S11 same S1 same (fault\$4 or error\$4 or problem or malfunction or fail\$4 or defect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 19:05
S13	620	(714/11).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 19:05
S14	256	(714/12).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 20:25
S15	493	(714/13).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 21:13
S16	561	(714/10).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 21:14

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7985	serial near2 controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 17:50
S2	3746	single adj point adj2 fail\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 17:51
S3	111023	selector\$4 with (switch\$4 or chang\$4 or alternat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 18:53
S4	0	S1 same S2 same S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 17:54
S5	7	S1 and S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 18:30
S6	15	koishi-takahiro\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 18:49
S7	1540	(two or double or redundan\$4 or mirror or master or slave or standby) same S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 18:50
S8	10	S7 same (selector\$4 with (rout\$4 or switch\$4 or chang\$4 or alternat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 19:02

Interference Search 10/625,565
EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	616	(714/11).ccls.	US-PGPUB; USPAT	OR	ON	2006/06/18 18:47
L2	255	(714/12).ccls.	US-PGPUB; USPAT	OR	ON	2006/06/18 18:47
L3	489	(714/13).ccls.	US-PGPUB; USPAT	OR	ON	2006/06/18 18:47
L4	436	(714/10).ccls.	US-PGPUB; USPAT	OR	ON	2006/06/18 18:48
L5	6525	serial near2 controller	US-PGPUB; USPAT	OR	ON	2006/06/18 18:48
L6	3485	single adj point adj2 fail\$4	US-PGPUB; USPAT	OR	ON	2006/06/18 18:48
L7	55060	selector\$4 with (switch\$4 or chang\$4 or alternat\$4)	US-PGPUB; USPAT	OR	ON	2006/06/18 18:48
L8	7986	serial near2 controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 18:49
L9	1340	(two or double or redundan\$4 or mirror or master or slave or standby) same L8	US-PGPUB; USPAT	OR	ON	2006/06/18 18:55
L10	1541	(two or double or redundan\$4 or mirror or master or slave or standby) same L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 18:56
L11	8	L10 same (selector\$4 with (rout\$4 or switch\$4 or chang\$4 or alternat\$4))	US-PGPUB; USPAT	OR	ON	2006/06/18 18:56
L12	248535	processor same (controll\$4 or monitor\$4 or supervis\$4)	US-PGPUB; USPAT	OR	ON	2006/06/18 18:57
L13	1328	12 same (selector\$4 with (rout\$4 or switch\$4 or chang\$4 or alternat\$4))	US-PGPUB; USPAT	OR	ON	2006/06/18 18:58
L14	1	5 same 13 same (fault\$4 or error\$4 or problem or malfunction or fail\$4 or defect\$4)	US-PGPUB; USPAT	OR	ON	2006/06/18 19:00


 [Search Session History](#)
[BROWSE](#)[SEARCH](#)[IEEE XPLORER GUIDE](#)[SUPPORT](#)

Sun, 18 Jun 2006, 7:37:46 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

[Search Query Display](#)

[Recent Search Queries](#)

		Results
<u>#1</u>	((service processor<in>metadata) <and> (serial controller<in>metadata))<and> (selector<in>metadata)	0
<u>#2</u>	((serial<in>metadata) <and> (controller<in>metadata))<and> (selector and switch<in>metadata)	1
<u>#3</u>	((serial<in>metadata) <and> (controller<in>metadata))<and> (selector and switch<in>metadata)	1
<u>#4</u>	((information processor<in>metadata) <and> (selector<in>metadata))<and> (standby<in>metadata)	0
<u>#5</u>	((serial controller<in>metadata) <and> (standby<in>metadata))<and> (switching or routing or changing<in>metadata)	0

[\[REDACTED\]](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by
 Inspec®

10/625,565


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
 The ACM Digital Library The Guide

serial controller and (standby or mirror or backup or back-up or redundant or two or double and selector and switch and fault

SEARCH
[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

[serial controller](#) and [standby](#) or [mirror](#) or [backup](#) or [back up](#) or [redundant](#) or [two](#) or [double](#) and [selector](#) and [switch](#) and [fault](#)

1

Sort results by
 [Save results to a Binder](#)
[Try an Advanced Search](#)
Display results
 [Search Tips](#)
[Try this search in The ACM Guide](#)
 [Open results in a new window](#)

Results 181 - 200 of 200

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) **10**

Best 200 shown

Relevance scale **181** [The evolution of the Sperry Univac 1100 series: a history, analysis, and projection](#)

B. R. Borgerson, M. L. Hanson, P. A. Hartley

January 1978 **Communications of the ACM**, Volume 21 Issue 1**Publisher:** ACM PressFull text available: [pdf\(1.89 MB\)](#)Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

The 1100 series systems are Sperry Univac's large-scale mainframe computer systems. Beginning with the 1107 in 1962, the 1100 series has progressed through a succession of eight compatible computer models to the latest system, the 1100/80, introduced in 1977. The 1100 series hardware architecture is based on a 36-bit word, one complement structure which obtains one operand from storage and one from a high-speed register, or two operands from high-speed registers. The 1100 Operating System ...

Keywords: 1100 computer series, computer architecture, data management systems, end user facilities, executive control software, multiprocessing, multiprogramming, operating system, programming languages

182 [Experience Using Multiprocessor Systems—A Status Report](#)

Anita K. Jones, Peter Schwarz

June 1980 **ACM Computing Surveys (CSUR)**, Volume 12 Issue 2**Publisher:** ACM PressFull text available: [pdf\(4.48 MB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**183** [Report on the fourth ACM SIGOPS European workshop fault tolerance support in distributed systems](#)

Özalp Babaoglu

January 1991 **ACM SIGOPS Operating Systems Review**, Volume 25 Issue 1**Publisher:** ACM PressFull text available: [pdf\(1.76 MB\)](#)[full citation](#), [index terms](#)**184** [Improving the adaptability of multi-mode systems via program steering](#)

Lee Lin, Michael D. Ernst

July 2004 **ACM SIGSOFT Software Engineering Notes**, Proceedings of the 2004 ACM SIGSOFT international symposium on Software testing and analysis ISSTA '04, Volume 29 Issue 4